

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	qualich-john\$.in. emrath-perry\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:08
S2	4	((((wake waking) adj up) wakeup) near (circuit circuitry)) with (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:02
S3	10	"6411157".pn. "5933090".pn. "5845204".pn. "6643598".pn. "5771180".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 10:00
S4	7	((((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus)) with (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:13
S5	567	702/85.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:00
S6	1	S5 and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:08
S7	292	702/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:03
S8	1	S7 and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:15
S9	763	713/323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:11

EAST Search History

S10	113	S9 and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:04
S11	10	S10 and (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 11:27
S12	13	("4193539" "4327328" "5049766" "5128938" "5155451" "5454114" "5664205" "5670904" "6025745" "6128747" "6229367" "6281721" "6357012").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/21 14:05
S13	52	"702"/\$.ccls. and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:11
S14	0	"702"/502.ccls. and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:11
S15	661	713/502.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:24
S16	468	713/503.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:24
S17	7	(S15 S16) and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:11
S18	7	(S15 S16) and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:11
S19	87	(((wake waking) adj up) wakeup) with (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:17

EAST Search History

S20	494	((wake waking) adj up) wakeup) with (correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:24
S21	661	713/502.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:24
S22	468	713/503.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 14:24
S23	1	(S21 S22) and ((wake waking) adj up) wakeup) with (correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:13
S24	278	((wake waking) adj up) wakeup) with (measure measuring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 15:37
S25	219	S24 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 15:38
S26	8	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (measure measuring) with ((wake waking) adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 15:52
S27	34	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (measure measuring) with (sleep watchdog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:23
S28	1	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (measure measuring) with ((sleep watchdog) near3 (timer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 15:56

EAST Search History

S29	38	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (measure measuring) with (sleep watchdog (wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:01
S30	11	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (measure measuring) with (sleep watchdog (wake adj up) wakeup) same (error difference discrepancy limit threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:02
S31	18	((calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (sleep watchdog (wake adj up) wakeup)) same ((measure measuring) with (error difference discrepancy limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:06
S32	17	((calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (sleep watchdog (wake adj up) wakeup)) same ((monitor monitoring) with (error difference discrepancy limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 15:39
S33	399	((((wake waking) adj up) wakeup) with (error difference discrepancy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:23
S34	284	S33 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:23
S35	54	S33 same (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:24
S36	39	(((((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus)) with (error difference discrepancy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:24

EAST Search History

S37	23	S36 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:32
S38	4	S36 same (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:24
S39	594	(S21 S22) and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusti adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:33
S40	76	(S21 S22) and (sleep watchdog (wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:36
S42	47	S40 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:35
S43	44	(S21 S22) and (sleep (wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:37
S44	25	S43 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:42
S45	7	702/85.ccls. and (sleep (wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:37
S46	45	(S21 S22) and (((wake waking) adj up) wakeup sleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 16:43
S47	25	S46 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:15

EAST Search History

S48	285	"702"/\$.ccls. and (((wake waking) adj up) (sleep adj (circuit timer)) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:13
S49	0	"713"/8\$.ccls. and (((wake waking) adj up) (sleep adj (circuit timer)) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:14
S50	0	"713"/9\$.ccls. and (((wake waking) adj up) (sleep adj (circuit timer)) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:14
S51	41	"713"/10\$.ccls. and (((wake waking) adj up) (sleep adj (circuit timer)) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:14
S52	18	S51 and (calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/21 17:15
S53	541	455/343.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 10:59
S54	17	S53 and (calibrate calibration calibrating recalibrate recalibration recalibrating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:39
S55	8	("5987339").URPN.	USPAT	OR	ON	2006/02/22 11:07
S56	87	(calibrate calibration calibrating recalibrate recalibration recalibrating) with (((wake waking) adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 11:23
S57	10	(calibrate calibration calibrating recalibrate recalibration recalibrating) with (((wake waking) adj up) wakeup) near3 (circuit circuitry logic device timer apparatus chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:19

EAST Search History

S58	13	(calibrate calibration calibrating recalibrate recalibration recalibrating) with (remote adj keyless adj entry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:20
S59	3	("5828316" "6034593" "6396389"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/22 12:39
S60	541	340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 14:04
S61	17	S60 and (calibrate calibration calibrating recalibrate recalibration recalibrating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:47
S62	40	340/825.69.ccls. and (calibrate calibration calibrating recalibrate recalibration recalibrating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:56
S63	11	340/825.69.ccls. and ((calibrate calibration calibrating recalibrate recalibration recalibrating) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:58
S64	16	340/825.72.ccls. and ((calibrate calibration calibrating recalibrate recalibration recalibrating) with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:35
S65	97	((calibrate calibration calibrating recalibrate recalibration recalibrating) with (((wake waking) adj up) wakeup activate activating activation reactivate reactivating reactivation) near3 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:02
S66	872975	((calibrate calibration calibrating recalibrate recalibration recalibrating) with ((wake waking) adj up) wakeup activate activating activation reactivate reactivating reactivation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:26
S67	309	((calibrate calibration calibrating recalibrate recalibration recalibrating) with (((wake waking) adj up) wakeup activate activating activation reactivate reactivating reactivation) near3 (circuit circuitry logic device chip apparatus timer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:26

EAST Search History

S68	40	S67 and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:03
S69	131	S60 and (((wake waking) adj up) wakeup activate activating activation reactivate reactivating reactivation) near3 (circuit circuitry logic device chip apparatus timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:29
S70	9	S69 and (calibrate calibration calibrating recalibrate recalibration recalibrating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:47
S71	28	S60 and (((wake waking) adj up) wakeup) near3 (circuit circuitry logic device chip apparatus timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:35
S72	1603	340/825.69.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:35
S73	1665	340/825.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:35
S74	2699	S72 S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:35
S75	68	S74 and (((wake waking) adj up) wakeup) near3 (circuit circuitry logic device chip apparatus timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:46
S76	84	"702"/\$.ccls. and (((wake waking) adj up) wakeup) near3 (circuit circuitry logic device chip apparatus timer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:47
S77	41	S76 and (calibrate calibration calibrating recalibrate recalibration recalibrating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:52

EAST Search History

S78	2	"6853259".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:52
S79	114	702/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:01
S80	6	S79 and voltage and ((exceed exceeding) with (limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:05
S81	9	S79 and ((exceed exceeding) with (limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:03
S82	4699	(calibrate calibrating calibration recalibrate recalibrating recalibration) with (timer clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:34
S83	210	S82 and voltage same ((exceed exceeding) with (limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:07
S84	42	S83 and ((wake adj up) wakeup sleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:07
S85	216	S82 and voltage same ((exceed exceeding) with (limit threshold drift))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 10:07
S86	9	S85 and ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:48
S87	30	(calibrate calibrating calibration recalibrate recalibrating recalibration) with (timer clock) same ((exceed exceeding) with (limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:48

EAST Search History

S88	1	("4078419").URPN.	USPAT	OR	ON	2006/02/27 10:36
S89	4	"2297884".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 11:19
S90	4	"2393610".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 11:19
S91	114	ormson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:47
S92	66	ormson-richard\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:47
S93	7	ormson-richard\$.in. and drift	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:50
S94	6	"2320398".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 12:51
S95	10	("5664205").URPN.	USPAT	OR	ON	2006/02/27 13:12
S96	374	(adjust adjusting adjustment correct correcting correction) with (timer clock) same ((exceed exceeding) with (limit threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 13:48
S97	15	S96 and ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:11
S98	464	vehicle with ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:12

EAST Search History

S99	6	S98 and "702"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:12
S10 0	119	(vehicle automobile car) with (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:21
S10 1	23	340/5.72.ccls. and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:22
S10 2	27	(US-20050125181-\$ or US-20050221870-\$ or US-20030043766-\$ or US-20040162657-\$ or US-20050151624-\$ or US-20040133390-\$ or US-20030152177-\$).did. or (US-5909093-\$ or US-6725067-\$ or US-6853259-\$ or US-5771180-\$ or US-6643598-\$ or US-6892315-\$ or US-5845204-\$ or US-6473607-\$ or US-5987339-\$ or US-6411157-\$ or US-5933090-\$ or US-6047380-\$ or US-6025745-\$ or US-5664205-\$ or US-6980823-\$ or US-6870403-\$ or US-6549064-\$ or US-6639957-\$).did. or (GB-2393610-\$).did. or (EP-726687-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/02/27 15:14
S10 3	9	S102 and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:14
S10 4	568	324/601.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:08
S10 5	0	S104 and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:20

EAST Search History

S10 6	29	S104 and timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:08
S10 7	34	"324"/\$.ccls. and (((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:22
S10 8	12	(((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus)) with ((response respond) near3 (time period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:25
S10 9	16	(((wake waking) adj up) wakeup) near3 (circuit circuitry device apparatus logic chip)) with ((response respond) near3 (time period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:27
S11 0	3785	"324"/\$.ccls. and ((response respond) near3 (time period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:27
S11 1	51	"324"/\$.ccls. and ((calibrate calibrating calibration recalibrate recalibration recalibrating) with ((response respond) near3 (time period)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:28
S11 2	67	"702"/\$.ccls. and ((calibrate calibrating calibration recalibrate recalibration recalibrating) with ((response respond) near3 (time period)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 17:12
S11 3	25	("4303983").URPN.	USPAT	OR	ON	2006/03/02 18:30
S11 4	976	((calibrate calibrating calibration recalibrate recalibration recalibrating) with ((response respond sleep (wake adj up) wakeup) near3 (time interval period)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 11:17
S11 5	28	RUAT-LUDOVIC\$.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 11:26

EAST Search History

S11 6	668	327/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 11:26
S11 7	13	S116 and (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:29
S11 8	546	340/5.72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 14:04
S11 9	61	S118 and ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:36
S12 0	23	S118 and ((wake adj up) wakeup) with (receiver receiving)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 14:07
S12 1	25	S118 and ((wake adj up) wakeup) near3 (circuit logic timer device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 14:25
S12 2	104	vehicle with ((wake adj up) wakeup) near3 (circuit logic timer device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 14:10
S12 3	12	(RKE (remote adj keyless adj entry)) same ((wake adj up) wakeup) near3 (circuit logic timer device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 14:26
S12 4	204	(capacitor capacitive) with ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:30
S12 5	31	S124 and (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:31

EAST Search History

S12 6	1	(capacitor capacitive) with ((wake adj up) wakeup) same (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 09:28
S12 7	115	(ring adj oscillator) with (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:34
S12 8	4	S127 and ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/07 17:36
S12 9	0	(capacitor capacitive) with resistor with ((wake adj up) wakeup) same (calibrate calibrating calibration recalibrate recalibrating recalibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 09:29
S13 0	81	(capacitor capacitive) with resistor with ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:28
S13 1	23	("5305459").URPN.	USPAT	OR	ON	2006/03/08 09:30
S13 2	2	S131 and (capacitor capacitive) with resistor with ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:34
S13 3	33	SAWAFUJI-KAZUNORI.in. MIWAMIWA-YASUHIRO.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:30
S13 4	92	SAWAFUJI-KAZUNORI.in. MIWA-YASUHIRO.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:30
S13 5	2	SAWAFUJI-KAZUNORI.in. and MIWA-YASUHIRO.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 10:30

EAST Search History

S13 6	7232	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 15:39
S13 7	8	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with (count counting) near3 number near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:21
S13 8	84	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with number near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:24
S13 9	11	(calibrate calibrating calibration recalibrate recalibrating recalibration) with number near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 17:12
S14 0	7232	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:22
S14 2	1	S130 and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:25
S14 3	5662	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with number near2 pulse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:25
S14 4	680	(calibrate calibrating calibration recalibrate recalibrating recalibration correct correcting correction adjust adjusting adjustment) with number near2 (previous last)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:25
S14 5	98	(calibrate calibrating calibration recalibrate recalibrating recalibration) with number near2 (previous last)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 16:25

EAST Search History

S14 6	172	S140 and ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 17:23
S14 7	12	(calibrate calibrating calibration recalibrate recalibrating recalibration) with (number two three four five six seven eight nine ten) near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 17:13
S14 8	6	(interrupt) with (calibrate calibration calibrating recalibrate recalibrating recalibration adjust adjusting adjustment readjust readjsuting readjustment tune tuning) with ((wake adj up) wakeup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/08 17:24